

INTERCONNECTION REQUEST FOR A LARGE GENERATING FACILITY

Internal Use Only

Date Received

Time Received

Received By:

1.	Large	undersigned Interconnection Customer submits this request to interconnect its e Generating Facility with Transmission Provider's Transmission System uant to a Tariff.		
2.		nterconnection Request is for (check one): A proposed new Large Generating Facility. An increase in the generating capacity or a Material Modification of an existing Generating Facility.		
3.		pe of interconnection service requested (check one): Energy Resource Interconnection Service Network Resource Interconnection Service		
4.		Check here only if Interconnection Customer requesting Network Resource onnection Service also seeks to have its Generating Facility studied for y Resource Interconnection Service		
5.	Interc	Interconnection Customer provides the following information:		
	a.	Address or location or the proposed new Large Generating Facility site (to the extent known) or, in the case of an existing Generating Facility, the name and specific location of the existing Generating Facility;		
	b.	Maximum summer at degrees C and winter at degrees C megawatt electrical output of the proposed new Large Generating Facility or the amount of megawatt increase in the generating capacity of an existing Generating Facility;		
	c.	General description of the equipment configuration;		

d. Commercial Operation Date (Day, Month, and Year);		(Day, Month, and Year);	
e.	Name, address, telephone no Customer's contact person;	umber, and e-mail address of Interconnection	
f.	Approximate location of the and	proposed Point of Interconnection (optional);	
g.	Interconnection Customer Da	ata (set forth in Attachment A)	
Appli	icable deposit amount as specif	ied in the LGIP.	
Evide	ence of Site Control as specified Is attached to this Interconne Will be provided at a later da		
This below	s Interconnection Request shall be submitted to the representative indicated ow:		
	Transmission Provider: Designated Contact Person: Address:	Avista Corporation Randy Gnaedinger 1411 E. Mission – MSC-16 Spokane WA 99202-1902	
	Telephone Number: FAX:	(509) 495-2047 (509) 777-5997	

R	Representative of Interconnection Customer to contact:		
_			
_			
_			
_			
T	his Interconnection Request is submitted by:		
N	ame of Interconnection Customer:		
В	y (signature):		
N	fame (type or print):		
T	itle:		
	ate:		

Attachment A to Appendix 1 Interconnection Request

LARGE GENERATING FACILITY DATA

UNIT RATINGS

kVA °F	V	oltage
Power Factor		
Speed (RPM)	C	onnection (e.g. Wye)
Short Circuit Ratio	F	requency, Hertz
Stator Amperes at Rated kVA	F	ield Volts
Stator Amperes at Rated kVA Max Turbine MW	F	
COMBINED TURBINE-	GENERATOR-EX	KCITER INERTIA DATA
Inertia Constant, H =	kW s	sec/kVA
Moment-of-Inertia, $WR^2 =$		_ lb. ft. ²
REACTANCE	DATA (PER UNI: DIRECT AXIS	QUADRATURE AXIS
Synchronous – saturated	X _{dv}	X_{qv}
Synchronous – unsaturated	X_{di}	X_{qi}
Transient – saturated	X' _{dv}	X'qv
Transient – unsaturated	X'di	T 71
Subtransient – saturated	X" _{dv}	X"qv
Subtransient – unsaturated	X" _{di}	
Negative Sequence – saturated	370	
M	$X2_{v}$	
Negative Sequence – unsaturated	$X2_{\rm v}$ $X2_{\rm i}$	
Zero Sequence – unsaturated Zero Sequence – saturated	170	
-	X2 _i	

FIELD TIME CONSTANT DATA (SEC)

Open Circuit Three-Phase Short Circuit Transient Line to Line Short Circuit Transient Line to Neutral Short Circuit Transient Short Circuit Subtransient Open Circuit Subtransient	T'do T'qo T'd3 T'q T'd2 T'd1 T'd1 T''q T''d T''q T''do T''qo		
ARMATURE TIME CONSTANT DATA (SEC)			
$ \begin{array}{lll} \text{Three Phase Short Circuit} & T_{a3} \\ \text{Line to Line Short Circuit} & T_{a2} \\ \text{Line to Neutral Short Circuit} & T_{a1} \\ \end{array} $			
NOTE: If requested information is not appl	icable, indicate by marking "N/A."		
MW CAPABILITY AND PLANT CONFIGURATION LARGE GENERATING FACILITY DATA			
ARMATURE WINDING RE	SISTANCE DATA (PER UNIT)		
$\begin{array}{ccccc} Positive & R_1 & ____\\ Negative & R_2 & ____\\ Zero & R_0 & ____\\ \end{array}$			
Rotor Short Time Thermal Capacity $I_2^2t = \underline{\hspace{1cm}}$ Field Current at Rated kVA, Armature Voltage and PF = $\underline{\hspace{1cm}}$ amps Field Current at Rated kVA and Armature Voltage, 0 PF = $\underline{\hspace{1cm}}$ amps Three Phase Armature Winding Capacitance = $\underline{\hspace{1cm}}$ microfarad Field Winding Resistance = $\underline{\hspace{1cm}}$ ohms $\underline{\hspace{1cm}}$ °C Armature Winding Resistance (Per Phase) = $\underline{\hspace{1cm}}$ ohms $\underline{\hspace{1cm}}$ °C			

CURVES

Provide Saturation, Vee, Reactive Capability, Capacity Temperature Correction curves. Designate normal and emergency Hydrogen Pressure operating range for multiple curves.

GENERATOR STEP-UP TRANSFORMER DATA RATINGS

Capacity	Self-cooled/		
	Maximum Nameplate		
	kVA		
Voltage Ra	tio(Generator Side/System side/Tertiary)		
	/	kV	
Winding Co	onnections (Low V/High V/Tertiary V (Delta	a or Wye))	
Fixed Taps	Available		
Present Tap	Setting		
	IMPEDANCE		
Positive	Z ₁ (on self-cooled kVA rating)	%	X/R
7 ero	Zo (on self-cooled kVA rating)	0/0	X/R

EXCITATION SYSTEM DATA

Identify appropriate IEEE model block diagram of excitation system and power system stabilizer (PSS) for computer representation in power system stability simulations and the corresponding excitation system and PSS constants for use in the model.

GOVERNOR SYSTEM DATA

Identify appropriate IEEE model block diagram of governor system for computer representation in power system stability simulations and the corresponding governor system constants for use in the model.

WIND GENERATORS

Number of generators to be interco	nnected pursuan	nt to this Interconnection Request		
Elevation:	_ Single Phase	Three Phase		
Inverter manufacturer, model name	e, number, and v	rersion:		
List of adjustable setpoints for the protective equipment or software:				

Note: A completed General Electric Company Power Systems Load Flow (PSLF) data sheet or other compatible formats, such as IEEE and PTI power flow models, must be supplied with the Interconnection Request. If other data sheets are more appropriate to the proposed device, then they shall be provided and discussed at Scoping Meeting.

INDUCTION GENERATORS

(*) Field Volts:	_
(*) Field Amperes:	_
(*) Motoring Power (kW):	_
(*) Neutral Grounding Resistor (If A	applicable):
(*) I_2^2 t or K (Heating Time Constant	t):
(*) Rotor Resistance:	_
(*) Stator Resistance:	_
(*) Stator Reactance:	
(*) Rotor Reactance:	_
(*) Magnetizing Reactance:	
(*) Short Circuit Reactance:	
(*) Exciting Current:	
(*) Temperature Rise:	
(*) Frame Size:	
(*) Design Letter:	
(*) Reactive Power Required In Var	s (No Load):
(*) Reactive Power Required In Var	
(*) Total Rotating Inertia, H:	Per Unit on KVA Base

Note: Please consult Transmission Provider prior to submitting the Interconnection Request to determine if the information designated by (*) is required.